

CHEVRON PIPE LINE COMPANY

LOCAL PIPELINE TARIFF

Applying On The **[W]** Intrastate Interstate Transportation of

CRUDE PETROLEUM

Empire Pipeline System

THIS BASELINE TARIFF IS FILED IN COMPLIANCE WITH FEDERAL ENERGY REGULATORY COMMISSION ORDER NO. 714 ISSUED SEPTEMBER 19, 2008.

GRAVITY ADJUSTMENT AUTHORIZATION TABLE

CHANGES IN TABLE OF VALUES

Factors in the Gravity Adjustment Authorization Table shall be as published by GRAVCAP, Inc. Carrier will revise Gravity Adjustment Authorization Table only if there has been an increase or decrease made by GRAVCAP, Inc.

An announcement stating the new Gravity Adjustment Authorization Table will be made by tariff filing by Carrier to Shippers. Said Table will be filed to be effective not less than 45 days from the date of change of GRAVCAP Inc.'s published Gravity Adjustment Authorization Table and upon the first day of the next month after that 45 day period has elapsed.

The values published in this tariff are subject to the rules and regulations published in Chevron Pipe Line Company's F.E.R.C. No. **[W]** 1147.0.0 490, ~~supplements thereto~~, and successive issues thereof.

The provisions published herein will, if effective, not result in an effect on the quality of the human environment.

ISSUED: August 31, 2010

EFFECTIVE: October 1, 2010

[W] Issued By:

J. S. Bindra, ~~Rebecca Roberts~~,
President
Chevron Pipe Line Company
P.O. Box ~~6059-430~~
~~San Ramon, California 94583-0759~~
~~Bellaire, Texas 77402-0430~~

[W] Compiled by:

C. L. Gibbs ~~Gary M. Smale~~
~~Comptroller & Chief Financial Officer-~~
~~Regulatory Specialist~~
Chevron Pipe Line Company
P. O. Box ~~6059 4800 Fournace Place~~
~~San Ramon, CA 94583-0759~~
~~Bellaire, TX 77401-2324~~
~~(510)-842-6966-(713)432-2852~~

TABLE OF GRAVITY ADJUSTMENT AUTHORIZATION FACTORS

API Grav	Diff \$/Bbl	API Grav	Diff \$/Bbl	API Grav	Diff \$/Bbl	API Grav	Diff \$/Bbl	API Grav	Diff \$/Bbl	API Grav	Diff \$/Bbl
15.0	0.000	20.0	0.750	25.0	1.500	30.0	2.250	35.0	3.000	40.0	3.100
15.1	0.015	20.1	0.765	25.1	1.515	30.1	2.265	35.1	3.000	40.1	3.100
15.2	0.030	20.2	0.780	25.2	1.530	30.2	2.280	35.2	3.000	40.2	3.100
15.3	0.045	20.3	0.795	25.3	1.545	30.3	2.295	35.3	3.000	40.3	3.100
15.4	0.060	20.4	0.810	25.4	1.560	30.4	2.310	35.4	3.000	40.4	3.100
15.5	0.075	20.5	0.825	25.5	1.575	30.5	2.325	35.5	3.000	40.5	3.100
15.6	0.090	20.6	0.840	25.6	1.590	30.6	2.340	35.6	3.000	40.6	3.100
15.7	0.105	20.7	0.855	25.7	1.605	30.7	2.355	35.7	3.000	40.7	3.100
15.8	0.120	20.8	0.870	25.8	1.620	30.8	2.370	35.8	3.000	40.8	3.100
15.9	0.135	20.9	0.885	25.9	1.635	30.9	2.385	35.9	3.000	40.9	3.100
16.0	0.150	21.0	0.900	26.0	1.650	31.0	2.400	36.0	3.020	41.0	3.100
16.1	0.165	21.1	0.915	26.1	1.665	31.1	2.415	36.1	3.020	41.1	3.100
16.2	0.180	21.2	0.930	26.2	1.680	31.2	2.430	36.2	3.020	41.2	3.100
16.3	0.195	21.3	0.945	26.3	1.695	31.3	2.445	36.3	3.020	41.3	3.100
16.4	0.210	21.4	0.960	26.4	1.710	31.4	2.460	36.4	3.020	41.4	3.100
16.5	0.225	21.5	0.975	26.5	1.725	31.5	2.475	36.5	3.020	41.5	3.100
16.6	0.240	21.6	0.990	26.6	1.740	31.6	2.490	36.6	3.020	41.6	3.100
16.7	0.255	21.7	1.005	26.7	1.755	31.7	2.505	36.7	3.020	41.7	3.100
16.8	0.270	21.8	1.020	26.8	1.770	31.8	2.520	36.8	3.020	41.8	3.100
16.9	0.285	21.9	1.035	26.9	1.785	31.9	2.535	36.9	3.020	41.9	3.100
17.0	0.300	22.0	1.050	27.0	1.800	32.0	2.550	37.0	3.040	42.0	3.100
17.1	0.315	22.1	1.065	27.1	1.815	32.1	2.565	37.1	3.040	42.1	3.100
17.2	0.330	22.2	1.080	27.2	1.830	32.2	2.580	37.2	3.040	42.2	3.100
17.3	0.345	22.3	1.095	27.3	1.845	32.3	2.595	37.3	3.040	42.3	3.100
17.4	0.360	22.4	1.110	27.4	1.860	32.4	2.610	37.4	3.040	42.4	3.100
17.5	0.375	22.5	1.125	27.5	1.875	32.5	2.625	37.5	3.040	42.5	3.100
17.6	0.390	22.6	1.140	27.6	1.890	32.6	2.640	37.6	3.040	42.6	3.100
17.7	0.405	22.7	1.155	27.7	1.905	32.7	2.655	37.7	3.040	42.7	3.100
17.8	0.420	22.8	1.170	27.8	1.920	32.8	2.670	37.8	3.040	42.8	3.100
17.9	0.435	22.9	1.185	27.9	1.935	32.9	2.685	37.9	3.040	42.9	3.100
18.0	0.450	23.0	1.200	28.0	1.950	33.0	2.700	38.0	3.060	43.0	3.100
18.1	0.465	23.1	1.215	28.1	1.965	33.1	2.715	38.1	3.060	43.1	3.100
18.2	0.480	23.2	1.230	28.2	1.980	33.2	2.730	38.2	3.060	43.2	3.100
18.3	0.495	23.3	1.245	28.3	1.995	33.3	2.745	38.3	3.060	43.3	3.100
18.4	0.510	23.4	1.260	28.4	2.010	33.4	2.760	38.4	3.060	43.4	3.100
18.5	0.525	23.5	1.275	28.5	2.025	33.5	2.775	38.5	3.060	43.5	3.100
18.6	0.540	23.6	1.290	28.6	2.040	33.6	2.790	38.6	3.060	43.6	3.100
18.7	0.555	23.7	1.305	28.7	2.055	33.7	2.805	38.7	3.060	43.7	3.100
18.8	0.570	23.8	1.320	28.8	2.070	33.8	2.820	38.8	3.060	43.8	3.100
18.9	0.585	23.9	1.335	28.9	2.085	33.9	2.835	38.9	3.060	43.9	3.100
19.0	0.600	24.0	1.350	29.0	2.100	34.0	2.850	39.0	3.080	44.0	3.100
19.1	0.615	24.1	1.365	29.1	2.115	34.1	2.865	39.1	3.080	44.1	3.100
19.2	0.630	24.2	1.380	29.2	2.130	34.2	2.880	39.2	3.080	44.2	3.100
19.3	0.645	24.3	1.395	29.3	2.145	34.3	2.895	39.3	3.080	44.3	3.100
19.4	0.660	24.4	1.410	29.4	2.160	34.4	2.910	39.4	3.080	44.4	3.100
19.5	0.675	24.5	1.425	29.5	2.175	34.5	2.925	39.5	3.080	44.5	3.100
19.6	0.690	24.6	1.440	29.6	2.190	34.6	2.940	39.6	3.080	44.6	3.100
19.7	0.705	24.7	1.455	29.7	2.205	34.7	2.955	39.7	3.080	44.7	3.100
19.8	0.720	24.8	1.470	29.8	2.220	34.8	2.970	39.8	3.080	44.8	3.100
19.9	0.735	24.9	1.485	29.9	2.235	34.9	2.985	39.9	3.080	44.9	3.100

TABLE OF GRAVITY ADJUSTMENT AUTHORIZATION FACTORS

API Grav	Diff \$/Bbl	API Grav	Diff \$Bbl	API Grav	Diff \$/Bbl	API Grav	Diff \$/Bbl	API Grav	Diff \$/Bbl	API Grav	Diff \$/Bbl
45.0	3.100	50.0	2.350	55.0 ¹	1.600						
45.1	3.085	50.1	2.335								
45.2	3.070	50.2	2.320								
45.3	3.055	50.3	2.305								
45.4	3.040	50.4	2.290								
45.5	3.025	50.5	2.275								
45.6	3.010	50.6	2.260								
45.7	2.995	50.7	2.245								
45.8	2.980	50.8	2.230								
45.9	2.965	50.9	2.215								
46.0	2.950	51.0	2.200								
46.1	2.935	51.1	2.185								
46.2	2.920	51.2	2.170								
46.3	2.905	51.3	2.155								
46.4	2.890	51.4	2.140								
46.5	2.875	51.5	2.125								
46.6	2.860	51.6	2.110								
46.7	2.845	51.7	2.095								
46.8	2.830	51.8	2.080								
46.9	2.815	51.9	2.065								
47.0	2.800	52.0	2.050								
47.1	2.785	52.1	2.035								
47.2	2.770	52.2	2.020								
47.3	2.755	52.3	2.005								
47.4	2.740	52.4	1.990								
47.5	2.725	52.5	1.975								
47.6	2.710	52.6	1.960								
47.7	2.695	52.7	1.945								
47.8	2.680	52.8	1.930								
47.9	2.665	52.9	1.915								
48.0	2.650	53.0	1.900								
48.1	2.635	53.1	1.885								
48.2	2.620	53.2	1.870								
48.3	2.605	53.3	1.855								
48.4	2.590	53.4	1.840								
48.5	2.575	53.5	1.825								
48.6	2.560	53.6	1.810								
48.7	2.545	53.7	1.795								
48.8	2.530	53.8	1.780								
48.9	2.515	53.9	1.765								
49.0	2.500	54.0	1.750								
49.1	2.485	54.1	1.735								
49.2	2.470	54.2	1.720								
49.3	2.455	54.3	1.705								
49.4	2.440	54.4	1.690								
49.5	2.425	54.5	1.675								
49.6	2.410	54.6	1.660								
49.7	2.395	54.7	1.645								
49.8	2.380	54.8	1.630								
49.9	2.365	54.9	1.615								

Note 1. Above 55.0 API gravity, use gravity value \$/barrel for 55.0.

This table represents the gravity adjustment schedule used by the majority of crude oil purchasers who have published postings for South Louisiana Sweet crude transported by Carrier. Table may be amended from time to time as a result of changes to the majority of posted gravity adjustment schedules. The table is independent of the price of crude oil.

EXPLANATION OF REFERENCE MARKS

[W] Change in wording only